



# Dymax Adhesive Bead and Film Coverage/ Container Size Cross Reference Data

## Bead Coverage\*

1 Liter of Dymax GEL viscosity material will generate the following approximate length (linear inches) of adhesive:

Bead Diameter	Adhesive Length
1/32 in	64,538 in / 5,378 ft
1/16 in	16,134 in / 1,344 ft
1/8 in	4,033 in / 336 ft
1/4 in	1,008 in / 84 ft

## Film Coverage\*

1 Liter of Dymax coating will cover the following approximate square feet area at the film thickness shown:

Coating Thickness	Film Coverage (sq. ft)
0.001 in	343
0.002 in	172
0.003 in	114
0.004 in	86
0.005 in	68
0.010 in	34

\* The figures shown above assume the total use of a liter of adhesive, without any allowance for waste, overspray, or any other unused amount.

Container Size Cross Reference (Approx.)						
Gallons	=	Kilograms	=	Pounds	=	Liters
0.26		1.15		2.5		1
3.96		17.25		38		15
4.58		20		44		17.3
5		21.77		48		18.9

© 1997-2022 Dymax Corporation. All rights reserved. All trademarks in this guide, except where noted, are the property of, or used under license by Dymax Corporation, U.S.A.

The data contained in this bulletin is of a general nature and is based on laboratory test conditions. Dymax does not warrant the data contained in this bulletin. Any warranty applicable to the product, its application and use is strictly limited to that contained in Dymax's standard Conditions of Sale. Dymax does not assume responsibility for test or performance results obtained by users. It is the user's responsibility to determine the suitability for the product application and purposes and the suitability for use in the user's intended manufacturing apparatus and methods. The user should adopt such precautions and use guidelines as may be reasonably advisable or necessary for the protection of property and persons. Nothing in this bulletin shall act as a representation that the product use or application will not infringe a patent owned by someone other than Dymax or act as a grant of license under any Dymax Corporation Patent. Dymax recommends that each user adequately test its proposed use and application before actual repetitive use, using the data contained in this bulletin as a general guide. TB100 7/14/1997



